

# ADAGCN: ADABOOSTING GRAPH CONVOLUTIONAL NETWORKS INTO DEEP MODELS

**Anonymous authors**

Paper under double-blind review

## ABSTRACT

The design of deep graph models still remains to be investigated and the crucial part is how to explore and exploit the knowledge from different hops of neighbors in an efficient way. In this paper, we propose a novel RNN-like deep graph neural network architecture by incorporating AdaBoost into the computation of network; and the proposed graph convolutional network called AdaGCN (Adaboosting Graph Convolutional Network) has the ability to efficiently extract knowledge from high-order neighbors of current nodes and then integrates knowledge from different hops of neighbors into the network in an Adaboost way. Different from other graph neural networks that directly stack many graph convolution layers, AdaGCN shares the same base neural network architecture among all “layers” and is recursively optimized, which is similar to a RNN. Besides, We also theoretically established the connection between AdaGCN and existing graph convolutional methods, presenting the benefits of our proposal. Finally, extensive experiments demonstrate the consistent state-of-the-art prediction performance on graphs across different label rates and the computational advantage of our approach AdaGCN.

## 1 INTRODUCTION

Recently, research related to learning on graph structural data has gained considerable attention in machine learning community. Graph neural networks (Gori et al., 2005; Hamilton et al., 2017; Veličković et al., 2018), particularly graph convolutional networks (Kipf & Welling, 2017; Defferrard et al., 2016; Bruna et al., 2014) have demonstrated their remarkable ability on node classification (Kipf & Welling, 2017), link prediction (Zhu et al., 2016) and clustering tasks (Fortunato, 2010). Despite their enormous success, almost all of these models have shallow model architectures with only two or three layers. The shallow design of GCN appears counterintuitive as deep versions of these models, in principle, have access to more information, but perform worse. Oversmoothing (Li et al., 2018) has been proposed to explain why deep GCN fails, showing that by repeatedly applying Laplacian smoothing, GCN may mix the node features from different clusters and makes them indistinguishable. This also indicates that by stacking too many graph convolutional layers, the embedding of each node in GCN is inclined to converge to certain value (Li et al., 2018), making it harder for classification. These shallow model architectures restricted by oversmoothing issue limit their ability to extract the knowledge from high-order neighbors, *i.e.*, *features from remote hops of neighbors for current nodes*. **Therefore, it is crucial to design deep graph models such that high-order information can be aggregated in an effective way for better predictions.**

There are some works (Xu et al., 2018b; Liao et al., 2019; Klicpera et al., 2018; Li et al., 2019) that tried to address this issue partially, and the discussion can refer to Appendix A.1. By contrast, we argue that a key direction of constructing deep graph models lies in the efficient exploration and effective combination of information from different orders of neighbors. Due to the apparent *sequential relationship* between different orders of neighbors, it is a natural choice to incorporate boosting algorithm into the design of deep graph models. As an important realization of boosting theory, AdaBoost (Freund et al., 1999) is extremely easy to implement and keeps competitive in terms of both practical performance and computational cost (Hastie et al., 2009). Moreover, boosting theory has been used to analyze the success of ResNets in computer vision (Huang et al., 2018) and AdaGAN (Tolstikhin et al., 2017) has already successfully incorporated boosting algorithm into the training of GAN (Goodfellow et al., 2014).

In this work, we focus on incorporating AdaBoost into the design of deep graph convolutional networks in a non-trivial way. Firstly, in pursuit of the introduction of AdaBoost framework, we refine the type of graph convolutions and thus obtain a novel RNN-like GCN architecture called AdaGCN. Our approach can efficiently extract knowledge from different orders of neighbors and then combine these information in an AdaBoost manner *with iterative updating of the node weights*. Also, we compare our AdaGCN with existing methods from the perspective of both architectural difference and feature representation power to show the benefits of our method. Finally, we conduct extensive experiments to demonstrate the consistent state-of-the-art performance of our approach across different label rates and computational advantage over other alternatives.

## 2 OUR APPROACH: ADAGCN

### 2.1 ESTABLISHMENT OF ADAGCN

Consider an undirected graph  $\mathcal{G} = (\mathcal{V}, \mathcal{E})$  with  $N$  nodes  $v_i \in \mathcal{V}$ , edges  $(v_i, v_j) \in \mathcal{E}$ .  $A \in \mathbb{R}^{N \times N}$  is the adjacency matrix with corresponding degree matrix  $D_{ii} = \sum_j A_{ij}$ . In the vanilla GCN model (Kipf & Welling, 2017) for semi-supervised node classification, the graph embedding of nodes with two convolutional layers is formulated as:

$$Z = \hat{A} \text{ReLU}(\hat{A}XW^{(0)})W^{(1)} \quad (1)$$

where  $Z \in \mathbb{R}^{N \times K}$  is the final embedding matrix (output logits) of nodes before softmax and  $K$  is the number of classes.  $X \in \mathbb{R}^{N \times C}$  denotes the feature matrix where  $C$  is the input dimension.  $\hat{A} = \tilde{D}^{-\frac{1}{2}}\tilde{A}\tilde{D}^{-\frac{1}{2}}$  where  $\tilde{A} = A + I$  and  $\tilde{D}$  is the degree matrix of  $\tilde{A}$ . In addition,  $W^{(0)} \in \mathbb{R}^{C \times H}$  is the input-to-hidden weight matrix for a hidden layer with  $H$  feature maps and  $W^{(1)} \in \mathbb{R}^{H \times K}$  is the hidden-to-output weight matrix.

Our key motivation of constructing deep graph models is to efficiently explore information of high-order neighbors and then combine these messages from different orders of neighbors in an AdaBoost way. Nevertheless, if we naively extract information from high-order neighbors based on GCN, we are faced with stacking  $l$  layers' parameter matrix  $W^{(i)}, i = 0, \dots, l - 1$ , which is definitely costly in computation. Besides, Multi-Scale Deep Graph Convolutional Networks (Luan et al., 2019) also theoretically demonstrated that the output can only contain the stationary information of graph structure and loses all the local information in nodes for being smoothed if we simply deepen GCN. Intuitively, the desirable representation of node features does not necessarily need too many nonlinear transformation  $f$  applied on them. This is simply due to the fact that the feature of each node is normally one-dimensional sparse vector rather than multi-dimensional data structures, e.g., images, that intuitively need deep convolution network to extract high-level representation for vision tasks. This insight has been empirically demonstrated in many recent works (Wu et al., 2019; Klicpera et al., 2018; Xu et al., 2018a), showing that a two-layer fully-connected neural networks is a better choice in the implementation. Similarly, our AdaGCN also follows this direction by choosing an appropriate  $f$  in each layer rather than directly deepen GCN layers.

Thus, we propose to remove ReLU to avoid the expensive joint optimization of multiple parameter matrices. Similarly, Simplified Graph Convolution (SGC) (Wu et al., 2019) also adopted this practice, arguing that nonlinearity between GCN layers is not crucial and the majority of the benefits arises from local weighting of neighboring features. Then the simplified graph convolution is:

$$Z = \hat{A}^l XW^{(0)}W^{(1)} \dots W^{(l-1)} = \hat{A}^l X\tilde{W}, \quad (2)$$

where we collapse  $W^{(0)}W^{(1)} \dots W^{(l-1)}$  as  $\tilde{W}$  and  $\hat{A}^l$  denotes  $\hat{A}$  to the  $l$ -th power. In particular, one crucial impact of ReLU in GCN is to accelerate the convergence of matrix multiplication since the ReLU is a contraction mapping intuitively. Thus, the removal of ReLU operation could also alleviate the oversmoothing issue, i.e. slowing the convergence of node embedding to indistinguishable ones (Li et al., 2018). Additionally, without ReLU this simplified graph convolution is also able to avoid the aforementioned joint optimization over multiple parameter matrices, resulting in computational benefits. Nevertheless, we find that this type of stacked linear transformation from graph convolution has insufficient power in representing information of high-order neighbors, which is revealed in our experiment described in Appendix A.2. Therefore, we propose to utilize an appropriate nonlinear function  $f_\theta$ , e.g., a two-layer fully-connected neural network, to replace the




Figure 1: The RNN-like architecture of AdaGCN with each base classifier  $f_\theta^{(l)}$  sharing the same neural network architecture  $f_\theta$ .  $w^l$  and  $\theta_l$  denote node weights and parameters computed after the  $l$ -th base classifier, respectively.

linear transformation  $\tilde{W}$  in Eq. 2 and enhance the representation ability of *each base classifier* in AdaGCN as follows:

$$Z^{(l)} = f_\theta(\hat{A}^l X), \quad (3)$$

where  $Z^{(l)}$  represents the final embedding matrix (output logits before Softmax) after the  $l$ -th base classifier in AdaGCN. This formulation also implies that the  $l$ -th base classifier in AdaGCN is extracting knowledge from features of current nodes and their  $l$ -th hop of neighbors. Due to the fact that the function of  $l$ -th base classifier in AdaGCN is similar to that of the  $l$ -th layer in other traditional GCN-based methods that directly stack many graph convolutional layers, **we regard the whole part of  $l$ -th base classifier as the  $l$ -th layers in AdaGCN**. As for the realization of Multi-class AdaBoost, we apply SAMME (Stagewise Additive Modeling using a Multi-class Exponential loss function) algorithm (Hastie et al., 2009), a natural and clean multi-class extension of the two-class AdaBoost adaptively combining weak classifiers.

As illustrated in Figure 1, we apply base classifier  $f_\theta^{(l)}$  to extract knowledge from current node feature and  $l$ -th hop of neighbors by minimizing current weighted loss. Then we directly compute the weighted error rate  $err^{(l)}$  and corresponding weight  $\alpha^{(l)}$  of current base classifier  $f_\theta^{(l)}$  as follows:

$$err^{(l)} = \frac{\sum_{i=1}^n w_i \mathbb{I}(c_i \neq f_\theta^{(l)}(x_i))}{\sum_{i=1}^n w_i} \quad (4)$$

$$\alpha^{(l)} = \log \frac{1 - err^{(l)}}{err^{(l)}} + \log(K - 1),$$

where  $w_i$  denotes the weight of  $i$ -th node and  $c_i$  represents the category of current  $i$ -th node. To attain a positive  $\alpha^{(l)}$ , we only need  $(1 - err^{(l)}) > 1/K$ , i.e., the accuracy of each weak classifier should be better than random guess (Hastie et al., 2009). This can be met easily to guarantee the weights to be updated in the right direction. Then we adjust nodes' weights by increasing weights on incorrectly classified ones:

$$w_i \leftarrow w_i \cdot \exp\left(\alpha^{(l)} \cdot \mathbb{I}(c_i \neq f_\theta^{(l)}(x_i))\right), i = 1, \dots, n \quad (5)$$

After re-normalizing the weights, we then compute  $\hat{A}^{l+1} X = \hat{A} \cdot (\hat{A}^l X)$  to sequentially extract knowledge from  $l+1$ -th hop of neighbors in the following base classifier  $f_\theta^{(l+1)}$ . One crucial point of AdaGCN is that different from traditional AdaBoost, we only define one  $f_\theta$ , e.g. a two-layer fully connected neural network, *which in practice is recursively optimized in each base classifier just similar to a recurrent neural network*. This also indicates that the parameters from last base classifier are leveraged as the initialization of next base classifier, which coincides with our intuition that  $l+1$ -th hop of neighbors are directly connected from  $l$ -th hop of neighbors. The efficacy of this kind of layer-wise training has been similarly verified in (Belilovsky et al., 2018) recently. Further, we combine the predictions from different orders of neighbors in an Adaboost way to obtain the final prediction  $C(A, X)$ :

$$C(A, X) = \arg \max_k \sum_{l=0}^L \alpha^{(l)} f_\theta^{(l)}(\hat{A}^l X) \quad (6)$$

Finally, we obtain the concise form of AdaGCN in the following:

$$\begin{aligned}\hat{A}^l X &= \hat{A} \cdot (\hat{A}^{l-1} X) \\ Z^{(l)} &= f_{\theta}^{(l)}(\hat{A}^l X) \\ Z &= \text{AdaBoost}(Z^{(l)})\end{aligned}\tag{7}$$

Note that  $f_{\theta}$  is non-linear, rather than linear in SGC (Wu et al., 2019), to guarantee the representation power. As shown in Figure 1, the architecture of AdaGCN is a variant of RNN with synchronous sequence input and output. We provide a detailed description of the our algorithm in Section 3.

## 2.2 COMPARISON WITH EXISTING METHODS

**Architectural Difference.** As illustrated in Figure 1 and 2, there is an apparent difference among the architectures of GCN (Kipf & Welling, 2017), SGC (Wu et al., 2019), JK (Xu et al., 2018b) and AdaGCN. Compared with these existing graph convolutional approaches that sequentially convey intermediate result  $Z^{(l)}$  to compute final prediction, our AdaGCN transmits weights of nodes  $w^i$ , aggregated features of different hops of neighbors  $\hat{A}^l X$ . More importantly, in AdaGCN the embedding  $Z^{(l)}$  is independent of the flow of computation in the network and the sparse adjacent matrix  $\hat{A}$  is also not directly involved in the computation of individual network because we compute  $\hat{A}^{(l+1)} X$  in advance and then feed it instead of  $\hat{A}$  into the classifier  $f_{\theta}^{(l+1)}$ , thus yielding significant computation reduction, which will be discussed further in Section 3.




Figure 2: Comparison of the graph model architectures.  $f_a$  in JK network denotes one aggregation layer with aggregation function such as concatenation or max pooling.

**Connection with PPNP and APPNP.** We also established a strong connection between AdaGCN and previous state-of-the-art PPNP and APPNP (Klicpera et al., 2018) method that leverages personalized pagerank to reconstruct graph convolutions in order to use information from a large and adjustable neighborhood. The analysis can be summarized in the following Proposition 1. Proof can refer to Appendix A.3.

**Proposition 1.** *Suppose that  $\gamma$  is the teleport factor. Let matrix sequence  $\{Z^{(l)}\}$  be from the output of each layer  $l$  in AdaGCN, then PPNP is equivalent to the Exponential Moving Average (EMA) with exponentially decreasing factor  $\gamma$  on  $\{Z^{(l)}\}$  in a sharing parameters version, and its approximate version APPNP can be viewed as the approximated form of EMA with a limited number of terms.*

Proposition 1 illustrates that AdaGCN can be viewed as an *adaptive form* of APPNP, formulated as:

$$Z = \sum_{l=0}^L \alpha^{(l)} f_{\theta}^{(l)}(\hat{A}^l X)\tag{8}$$

Specifically, the first discrepancy between AdaGCN and APPNP lies in the adaptive coefficient  $\alpha^{(l)}$  in AdaGCN determined by the error of  $l$ -th base classifier  $f_{\theta}^{(l)}$  rather than fixed exponentially decreased weights in APPNP. In addition, AdaGCN employs classifier  $f_{\theta}^{(l)}$  with different parameters to learn the embedding of different orders of neighbors, while APPNP shares these parameters in its form. We verified this benefit of our approach in our experiments shown in Section 4.2.

**Comparison with MixHop** MixHop (Abu-El-Haija et al., 2019) applied the similar way of graph convolution by repeatedly mixing feature representations of neighbors at various distance. Proposition 2 proves that both AdaGCN and MixHop are able to represent feature differences among neighbors while previous GCNs-based methods cannot. Proof can refer to Appendix A.4. Recap the definition of general layer-wise Neighborhood Mixing (Abu-El-Haija et al., 2019) as follows:

**Definition 1.** *General layer-wise Neighborhood Mixing:* A graph convolution network has the ability to represent the layer-wise neighborhood mixing if for any  $b_0, b_1, \dots, b_L$ , there exists an injective mapping  $f$  with a setting of its parameters, such that the output of this graph convolution network can express the following formula:

$$f \left( \sum_{l=0}^L b_l \sigma \left( \hat{A}^l X \right) \right) \quad (9)$$

**Proposition 2.** *AdaGCNs defined by our proposed approach (Eq. equation 7) are capable of representing general layer-wise neighborhood mixing, i.e., can meet the Definition 1.*

Albeit the similarity, AdaGCN distinguishes from MixHop in many aspects. Firstly, MixHop concatenates all outputs from each order of neighbors while we combines these predictions in an Adaboost way, which has theoretical generalization guarantee based on boosting theory. Meantime, MixHop allows full linear mixing of different orders of neighboring features, while AdaGCN utilizes different non-linear transformation  $f_\theta^{(l)}$  among all layers, enjoying stronger expressive power.

### 3 ALGORITHM

In practice, we employ SAMME.R (Hastie et al., 2009), the soft version of SAMME, in AdaGCN. SAMME.R (R for Real) algorithm (Hastie et al., 2009) leverages real-valued confidence-rated predictions, i.e., weighted probability estimates, rather than predicted hard labels in SAMME, in the prediction combination, which has demonstrated a better generalization and faster convergence than SAMME. We elaborate the final version of AdaGCN in Algorithm 1. We provide the analysis on the choice of model depth  $L$  in Appendix A.7, and then we elaborate the computational advantage of AdaGCN in the following.

---

#### Algorithm 1 AdaGCN based on SAMME.R Algorithm

---

**Input:** Features Matrix  $X$ , normalized adjacent matrix  $\hat{A}$ , a two-layer fully connected network  $f_\theta$ , number of layers  $L$  and number of classes  $K$ .

**Output:** Final combined prediction  $C(A, X)$ .

- 1: Initialize the node weights  $w_i = 1/n, i = 1, 2, \dots, n$  on training set, neighbors feature matrix  $\hat{X}^{(0)} = X$  and classifier  $f_\theta^{(-1)}$ .
- 2: **for**  $l = 0$  to  $L$  **do**
- 3: Fit the graph convolutional classifier  $f_\theta^{(l)}$  on neighbor feature matrix  $\hat{X}^{(l)}$  based on  $f_\theta^{(l-1)}$  by minimizing current weighted loss.
- 4: Obtain the weighted probability estimates  $p^{(l)}(\hat{X}^{(l)})$  for  $f_\theta^{(l)}$ :
 
$$p_k^{(l)}(\hat{X}^{(l)}) = \text{Softmax}(f_\theta^{(l)}(c = k | \hat{X}^{(l)})), k = 1, \dots, K$$
- 5: Compute the individual prediction  $h_k^{(l)}(x)$  for the current graph convolutional classifier  $f_\theta^{(l)}$ :
 
$$h_k^{(l)}(\hat{X}^{(l)}) \leftarrow (K - 1) \left( \log p_k^{(l)}(\hat{X}^{(l)}) - \frac{1}{K} \sum_{k'} \log p_{k'}^{(l)}(\hat{X}^{(l)}) \right)$$
 where  $k = 1, \dots, K$ .
- 6: Adjust the node weights  $w_i$  for each node  $x_i$  with label  $y_i$  on training set:
 
$$w_i \leftarrow w_i \cdot \exp \left( -\frac{K-1}{K} y_i^\top \log p^{(l)}(x_i) \right), i = 1, \dots, n$$
- 7: Re-normalize all weights  $w_i$ .
- 8: Update  $l+1$ -hop neighbor feature matrix  $\hat{X}^{(l+1)}$ :
 
$$\hat{X}^{(l+1)} = \hat{A} \hat{X}^{(l)}$$
- 9: **end for**
- 10: Combine all predictions  $h_k^{(l)}(\hat{X}^{(l)})$  for  $l = 0, \dots, L$ .

$$C(A, X) = \arg \max_k \sum_{l=0}^L h_k^{(l)}(\hat{X}^{(l)})$$

- 11: **return** Final combined prediction  $C(A, X)$ .
-

**Analysis of Computational Advantage.** Due to the similarity of graph convolution in MixHop (Abu-El-Haija et al., 2019), AdaGCN also requires no additional memory or computational complexity compared with previous GCN models. Meanwhile, our approach enjoys huge computational advantage compared with GCN-based models, e.g., PPNP and APPNP, stemming from excluding the additional computation involved in sparse tensors, such as the sparse tensor multiplication between  $\hat{A}$  and other dense tensors, *in the forward and backward propagation of the neural network*. Specifically, there are only  $L$  times sparse tensor operations for an AdaGCN model with  $L$  layers, i.e.,  $\hat{A}^l X = \hat{A} \cdot (\hat{A}^{l-1} X)$  for each layer  $l$ . This operation in each layer yields a *dense tensor*  $B^l = \hat{A}^l X$  for the  $l$ -th layer, which is then fed into the computation in a two-layer fully-connected network, i.e.,  $f_{\theta}^{(l)}(B^l) = \text{ReLU}(B^l W^{(0)}) W^{(1)}$ . Due to the fact that dense tensor  $B^l$  has been computed in advance, there is no other computation related to sparse tensors in the multiple forward and backward propagation procedures while training the neural network. By contrast, this multiple computation involved in sparse tensors in the GCN-based models, e.g., GCN:  $\hat{A} \text{ReLU}(\hat{A} X W^{(0)}) W^{(1)}$ , is highly expensive. AdaGCN avoids these additional sparse tensor operations in the neural network and then attains huge computational efficiency. We demonstrate this viewpoint in the Section 4.3.

## 4 EXPERIMENTS

**Experimental Setup.** We select five commonly used graphs: CiteSeer, Cora-ML (Bojchevski & Günnemann, 2018; McCallum et al., 2000), PubMed (Sen et al., 2008), MS-Academic (Shchur et al., 2018) and Reddit. Dataset statistics are summarized in Table 1. Recent graph neural networks suffer from overfitting to a single splitting of training, validation and test datasets (Klicpera et al., 2018). To address this problem, inspired by (Klicpera et al., 2018), we test all approaches on multiple random splits and initialization to conduct a rigorous study. Detailed dataset splittings are provided in Appendix A.6.

Dataset	Nodes	Edges	Classes	Features	Label Rate
CiteSeer	3,327	4,732	6	3,703	3.6%
Cora	2,708	5,429	7	1,433	5.2%
PubMed	19,717	44,338	3	500	0.3%
MS Academic	18,333	81,894	15	6,805	1.6%
Reddit	232,965	11,606,919	41	602	65.9%

Table 1: Dataset statistics

**Basic Setting of Baselines and AdaGCN.** We compare AdaGCN with GCN (Kipf & Welling, 2017) and Simple Graph Convolution (SGC) (Wu et al., 2019) in Figure 3. In Table 2, we employ the same baselines as (Klicpera et al., 2018): V.GCN (vanilla GCN) (Kipf & Welling, 2017) and GCN with our early stopping, N-GCN (network of GCN) (Abu-El-Haija et al., 2018a), GAT (Graph Attention Networks) (Veličković et al., 2018), BT.FP (bootstrapped feature propagation) (Buchnik & Cohen, 2018) and JK (jumping knowledge networks with concatenation) (Xu et al., 2018b). In the computation part, we additionally compare AdaGCN with FastGCN (Chen et al., 2018) and GraphSAGE (Hamilton et al., 2017). We refer to the result of baselines from (Klicpera et al., 2018)




Figure 3: Comparison of test accuracy of different models as the layer increases. We regard the  $l$ -th base classifier as the  $l$ -th layer in AdaGCN as both of them are leveraged to exploit the information from  $l$ -th order of neighbors for current nodes.

and the implementation of AdaGCN is adapted from APPNP. For AdaGCN, after the line search on hyper-parameters, we set  $h = 5000$  hidden units for the first four datasets except Ms-academic with  $h = 3000$ , and 15, 12, 20 and 5 layers respectively due to the different graph structures. In addition, we set dropout rate to 0 for Citeseer and Cora-ML datasets and 0.2 for the other datasets and  $5 \times 10^{-3} L_2$  regularization on the first linear layer. We set weight decay as  $1 \times 10^{-3}$  for Citeseer while  $1 \times 10^{-4}$  for others. More detailed model parameters and analysis about our early stopping mechanism can be referred from Appendix A.6.

#### 4.1 DESIGN OF DEEP GRAPH MODELS TO CIRCUMVENT OVERSMOOTHING EFFECT

It is well-known that GCN suffers from oversmoothing (Li et al., 2018) with the stacking of more graph convolutions. However, combination of knowledge from each layer to design deep graph models is a reasonable method to circumvent oversmoothing issue. In our experiment, we aim to explore the prediction performance of GCN, GCN with residual connection (Kipf & Welling, 2017), SGC and our AdaGCN with a growing number of layers.

From Figure 3, it can be easily observed that oversmoothing leads to the rapid decreasing of accuracy for GCN (blue line) as the layer increases. In contrast, the speed of smoothing (green line) of SGC is much slower than GCN due to the lack of ReLU analyzed in Section 2.1. Similarly, GCN with residual connection (yellow line) partially mitigates the oversmoothing effect of original GCN but fails to take advantage of information from different orders of neighbors to improve the prediction performance constantly. Remarkably, AdaGCN (red line) is able to consistently enhance the performance with the increasing of layers across the three datasets. This implies that AdaGCN can efficiently incorporate knowledge from different orders of neighbors and circumvent oversmoothing of original GCN in the process of constructing deep graph models. In addition, the fluctuation of performance for AdaGCN is much lower than GCN especially when the number of layer is large.

#### 4.2 PREDICTION PERFORMANCE

We conduct a rigorous study of AdaGCN on four datasets under multiple splittings of dataset. The results from Table 2 suggest the state-of-the-art performance of our approach and the improvement compared with APPNP validates the benefit of adaptive form for our AdaGCN. More rigorously, p values under paired t test demonstrate the significance of improvement for our method.

Model	Citeseer	Cora-ML	Pubmed	MS Academic
V.GCN	73.51±0.48	82.30±0.34	77.65±0.40	91.65±0.09
GCN	75.40±0.30	83.41±0.39	78.68±0.38	92.10±0.08
N-GCN	74.25±0.40	82.25±0.30	77.43±0.42	92.86±0.11
GAT	75.39±0.27	84.37±0.24	77.76±0.44	91.22±0.07
JK	73.03±0.47	82.69±0.35	77.88±0.38	91.71±0.10
BT.FP	73.55±0.57	80.84±0.97	72.94±1.00	91.61±0.24
PPNP	75.83±0.27	85.29±0.25	OOM	OOM
APPNP	75.73±0.30	85.09±0.25	79.73±0.31	93.27±0.08
PPNP (ours)	75.53±0.32	84.39±0.28	OOM	OOM
APPNP (ours)	75.41±0.35	84.28±0.28	79.41±0.34	92.98±0.07
AdaGCN	<b>76.68±0.20</b>	<b>85.97±0.20</b>	<b>79.95±0.21</b>	<b>93.17±0.07</b>
P value	$1.8 \times 10^{-15}$	$2.2 \times 10^{-16}$	$1.1 \times 10^{-5}$	$2.1 \times 10^{-9}$

In the realistic setting, graphs usually have different labeled nodes and thus it is necessary to investigate the robust performance of methods on different number of labeled nodes. Here we utilize label rates to measure the different numbers of labeled nodes and then sample corresponding labeled nodes per class on graphs respectively. Table 3 presents the consistent state-of-the-art performance of AdaGCN under different label rates. An interesting manifestation from Table 3 is that AdaGCN yields more improvement on fewer label rates compared

Table 2: Average accuracy under 100 runs with uncertainties showing the 95 % confidence level calculated by bootstrapping. OOM denotes “out of memory”. “(ours)” denotes the results based on our implementation, which are slight lower than numbers above from original literature (Klicpera et al., 2018). P values of paired t test between APPNP (ours) and AdaGCN are provided in the last row.

Label Rates	Citeseer		Cora-ML		Pubmed		MS Academic	
	1.0% / 2.0%	2.0% / 4.0%	0.1% / 0.2%	0.1% / 0.2%	0.6% / 1.2%	0.6% / 1.2%	0.6% / 1.2%	
V.GCN	67.6±1.4/70.8±1.4	76.4±1.3/81.7±0.8	70.1±1.4/74.6±1.6	70.1±1.4/74.6±1.6	89.7±0.4/91.1±0.2	89.7±0.4/91.1±0.2	89.7±0.4/91.1±0.2	
GCN	70.3±0.9/72.7±1.1	80.0±0.7/82.8±0.9	71.1±1.1/75.2±1.0	71.1±1.1/75.2±1.0	89.8±0.4/91.2±0.3	89.8±0.4/91.2±0.3	89.8±0.4/91.2±0.3	
PPNP	72.5±0.9/74.7±0.7	80.1±0.7/83.0±0.6	OOM	OOM	OOM	OOM	OOM	
APPNP	72.2±1.3/74.2±1.1	80.1±0.7/83.2±0.6	74.0±1.5/77.2±1.2	74.0±1.5/77.2±1.2	91.7±0.2/92.6±0.2	91.7±0.2/92.6±0.2	91.7±0.2/92.6±0.2	
AdaGCN	<b>74.2±0.3/75.5±0.3</b>	<b>83.7±0.3/85.3±0.2</b>	<b>77.1±0.5/79.3±0.3</b>	<b>77.1±0.5/79.3±0.3</b>	<b>92.1±0.1/92.7±0.1</b>	<b>92.1±0.1/92.7±0.1</b>	<b>92.1±0.1/92.7±0.1</b>	

Table 3: Average accuracy across different label rates with 20 splittings of datasets under 100 runs.

with APPNP, showing more efficiency on graphs with few labeled nodes. Inspired by the Layer Effect on graphs (Sun et al., 2019), we argue that the increase of layers in AdaGCN can result in more benefits on the efficient propagation of label signals especially on graphs with limited labeled nodes.

More rigorously, we additionally conduct the comparison on a larger dataset, i.e., Reddit. We choose the best layer as 4 due to the fact that AdaGCN with larger number of layers tends to suffer from overfitting on this relatively simple dataset (with high label rate 65.9%). Table 4 suggests that AdaGCN can still outperform other typical baselines, including V.GCN, PPNP and APPNP. More experimental details can be referred from Appendix A.6.

Reddit	F1-Score	Per-epoch training time
V.GCN	94.46±0.06	5627.46ms
PPNP	OOM	OOM
APPNP	95.04±0.07	29489.81ms
AdaGCN	<b>95.39±0.13</b>	<b>32.29ms</b>

Table 4: Average F1-scores and per-epoch training time of typical methods on Reddit dataset under 5 runs.

### 4.3 COMPUTATIONAL EFFICIENCY

Without the additional computational cost involved in sparse tensors in the propagation of the neural network, AdaGCN presents huge computational efficiency. From the left part of Figure 4, it exhibits that AdaGCN has the fastest speed of per-epoch training time in comparison with other methods except the comparative performance with FastGCN in Pubmed. In addition, there is a somewhat inconsistency in computation of FastGCN, with fastest speed in Pubmed but slower than GCN on Cora-ML and MS-Academic datasets. Furthermore, with multiple power iterations involved in sparse tensors, APPNP unfortunately has relatively expensive computation cost. It should be noted that this computational advantage of AdaGCN is more significant when it comes to large datasets, e.g., Reddit. Table 4 demonstrates AdaGCN has the potential to perform much faster on larger datasets.




Figure 4: Left: Per-epoch training time of AdaGCN vs other methods under 5 runs on four datasets. Right: Per-epoch training time of AdaGCN compared with GCN and SGC with the increasing of layers and the digit after “ $k$  =” denotes the slope in a fitted linear regression.

Besides, we explore the computational cost of ReLU and sparse adjacency tensor with respect to the number of layers in the right part of Figure 4. We focus on comparing AdaGCN with SGC and GCN as other GCN-based methods, such as GraphSAGE and APPNP, behave similarly with GCN. Particularly, we can easily observe that both SGC (blue line) and GCN (red line) show a linear increasing tendency and GCN yields a larger slope arises from ReLU and more parameters. It also shows that the computational cost involved sparse matrices in neural networks plays a dominant role in all the cost especially when the layer is large enough. In contrast, our AdaGCN (pink line) displays an almost constant trend as the layer increases because it avoids the additional computation related to sparse matrices in a network, enjoying huge computational efficiency.

## 5 DISCUSSIONS AND CONCLUSION

One potential concern is that AdaBoost (Hastie et al., 2009; Freund et al., 1999) is established on i.i.d. hypothesis while graphs have inherent data-dependent property. Fortunately, the statistical convergence and consistency of boosting (Lugosi & Vayatis, 2001; Mannor et al., 2003) can still be preserved when the samples are weakly dependent (Lozano et al., 2013). More discussion can refer to Appendix A.5. In this paper, we propose a novel RNN-like deep graph neural network architecture called AdaGCNs. With the delicate architecture design, our approach AdaGCN can effectively explore and exploit knowledge from different orders of neighbors in an Adaboost way. Our work paves a way towards better combining different-order neighbors to design deep graph models rather than only stacking on specific type of graph convolution.



## REFERENCES

- Sami Abu-El-Haija, Amol Kapoor, Bryan Perozzi, and Joonseok Lee. N-gcn: Multi-scale graph convolution for semi-supervised node classification. *International Workshop on Mining and Learning with Graphs (MLG)*, 2018a.
- Sami Abu-El-Haija, Bryan Perozzi, Amol Kapoor, Hrayr Harutyunyan, Nazanin Alipourfard, Kristina Lerman, Greg Ver Steeg, and Aram Galstyan. Mixhop: Higher-order graph convolution architectures via sparsified neighborhood mixing. *ICML 2019*, 2019.
- Eugene Belilovsky, Michael Eickenberg, and Edouard Oyallon. Greedy layerwise learning can scale to imagenet. *ICML*, 2018.
- Aleksandar Bojchevski and Stephan Günnemann. Deep gaussian embedding of graphs: Unsupervised inductive learning via ranking. *International Conference on Learning Representations, ICLR 2019*, 2018.
- Joan Bruna, Wojciech Zaremba, Arthur Szlam, and Yann LeCun. Spectral networks and locally connected networks on graphs. *International Conference on Learning Representations, ICLR 2015*, 2014.
- Eliav Buchnik and Edith Cohen. Bootstrapped graph diffusions: Exposing the power of nonlinearity. In *Abstracts of the 2018 ACM International Conference on Measurement and Modeling of Computer Systems*, pp. 8–10. ACM, 2018.
- Peter Bühlmann and Bin Yu. Boosting with the  $l_2$  loss: regression and classification. *Journal of the American Statistical Association*, 98(462):324–339, 2003.
- Jie Chen, Tengfei Ma, and Cao Xiao. Fastgcn: fast learning with graph convolutional networks via importance sampling. *International Conference on Learning Representations, ICLR 2019*, 2018.
- Michaël Defferrard, Xavier Bresson, and Pierre Vandergheynst. Convolutional neural networks on graphs with fast localized spectral filtering. In *Advances in Neural Information Processing Systems*, pp. 3844–3852, 2016.
- Santo Fortunato. Community detection in graphs. *Physics reports*, 486(3-5):75–174, 2010.
- Yoav Freund, Robert Schapire, and Naoki Abe. A short introduction to boosting. *Journal-Japanese Society For Artificial Intelligence*, 14(771-780):1612, 1999.
- Ian Goodfellow, Jean Pouget-Abadie, Mehdi Mirza, Bing Xu, David Warde-Farley, Sherjil Ozair, Aaron Courville, and Yoshua Bengio. Generative adversarial nets. In *Advances in neural information processing systems*, pp. 2672–2680, 2014.
- Marco Gori, Gabriele Monfardini, and Franco Scarselli. A new model for learning in graph domains. In *Proceedings. 2005 IEEE International Joint Conference on Neural Networks, 2005.*, volume 2, pp. 729–734. IEEE, 2005.
- Will Hamilton, Zhitao Ying, and Jure Leskovec. Inductive representation learning on large graphs. In *Advances in Neural Information Processing Systems*, pp. 1024–1034, 2017.
- Trevor Hastie, Saharon Rosset, Ji Zhu, and Hui Zou. Multi-class adaboost. *Statistics and its Interface*, 2(3):349–360, 2009.
- Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 770–778, 2016.
- Furong Huang, Jordan Ash, John Langford, and Robert Schapire. Learning deep resnet blocks sequentially using boosting theory. *International Conference on Machine Learning, ICML 2018*, 2018.
- Wenxin Jiang et al. Process consistency for adaboost. *The Annals of Statistics*, 32(1):13–29, 2004.

- Ming Jin, Heng Chang, Wenwu Zhu, and Somayeh Sojoudi. Power up! robust graph convolutional network against evasion attacks based on graph powering. *arXiv preprint arXiv:1905.10029*, 2019.
- Thomas N Kipf and Max Welling. Semi-supervised classification with graph convolutional networks. *International Conference on Learning Representations, ICLR 2018*, 2017.
- Johannes Klicpera, Aleksandar Bojchevski, and Stephan Günnemann. Predict then propagate: Graph neural networks meet personalized pagerank. *International Conference on Learning Representations, ICLR 2019*, 2018.
- Guohao Li, Matthias Müller, Ali Thabet, and Bernard Ghanem. Can gcns go as deep as cnns? *ICCV*, 2019.
- Qimai Li, Zhichao Han, and Xiao-Ming Wu. Deeper insights into graph convolutional networks for semi-supervised learning. *AAAI*, 2018.
- Renjie Liao, Zhizhen Zhao, Raquel Urtasun, and Richard S Zemel. Lanczosnet: Multi-scale deep graph convolutional networks. *International Conference on Learning Representations, ICLR 2019*, 2019.
- Aurelie C Lozano, Sanjeev R Kulkarni, and Robert E Schapire. Convergence and consistency of regularized boosting with weakly dependent observations. *IEEE Transactions on Information Theory*, 60(1):651–660, 2013.
- Sitao Luan, Mingde Zhao, Xiao-Wen Chang, and Doina Precup. Break the ceiling: Stronger multi-scale deep graph convolutional networks. *Advances in Neural Information Processing Systems*, 2019.
- Gábor Lugosi and Nicolas Vayatis. On the bayes-risk consistency of boosting methods. 2001.
- Shie Mannor, Ron Meir, and Tong Zhang. Greedy algorithms for classification–consistency, convergence rates, and adaptivity. *Journal of Machine Learning Research*, 4(Oct):713–742, 2003.
- Andrew Kachites McCallum, Kamal Nigam, Jason Rennie, and Kristie Seymore. Automating the construction of internet portals with machine learning. *Information Retrieval*, 3(2):127–163, 2000.
- Prithviraj Sen, Galileo Namata, Mustafa Bilgic, Lise Getoor, Brian Galligher, and Tina Eliassi-Rad. Collective classification in network data. *AI magazine*, 29(3):93, 2008.
- Oleksandr Shchur, Maximilian Mumme, Aleksandar Bojchevski, and Stephan Günnemann. Pitfalls of graph neural network evaluation. In *Relational Representation Learning Workshop (R2L 2018), NeurIPS*, 2018.
- Ke Sun, Zhanxing Zhu, and Zhouchen Lin. Multi-stage self-supervised learning for graph convolutional networks. *AAAI*, 2019.
- Ilya O Tolstikhin, Sylvain Gelly, Olivier Bousquet, Carl-Johann Simon-Gabriel, and Bernhard Schölkopf. Adagan: Boosting generative models. In *Advances in Neural Information Processing Systems*, pp. 5424–5433, 2017.
- Petar Veličković, Guillem Cucurull, Arantxa Casanova, Adriana Romero, Pietro Lio, and Yoshua Bengio. Graph attention networks. *International Conference on Learning Representations, ICLR 2019*, 2018.
- Felix Wu, Tianyi Zhang, Amauri Holanda de Souza Jr, Christopher Fifty, Tao Yu, and Kilian Q Weinberger. Simplifying graph convolutional networks. *International Conference on Machine Learning, ICML 2019*, 2019.
- Keyulu Xu, Weihua Hu, Jure Leskovec, and Stefanie Jegelka. How powerful are graph neural networks? *ICLR*, 2018a.

Keyulu Xu, Chengtao Li, Yonglong Tian, Tomohiro Sonobe, Ken-ichi Kawarabayashi, and Stefanie Jegelka. Representation learning on graphs with jumping knowledge networks. *International Conference on Machine Learning, ICML 2018*, 2018b.

Tong Zhang, Bin Yu, et al. Boosting with early stopping: Convergence and consistency. *The Annals of Statistics*, 33(4):1538–1579, 2005.

Jun Zhu, Jiaming Song, and Bei Chen. Max-margin nonparametric latent feature models for link prediction. *arXiv preprint arXiv:1602.07428*, 2016.